

Line Number	Hits	Session Text	DR	Time Stamp
3	43	361/104 and \$5relay same circuit near breaker	USPAT	2003/07/01 10:51
4	27	361/104 and \$5relay same circuit near breaker and current near limits3	USPAT	2003/07/01 10:51
6	19	361/104 and \$5relay same fuse and current near limits3	USPAT	2003/07/01 10:51
2	20	361/93.9 and \$5relay same current near limits3	USPAT	2003/07/01 10:52
1	11	361/93.1 and \$5relay same fuse	USPAT	2003/07/01 10:55
5	66	361/104 and \$5relay same fuse	USPAT	2003/07/01 10:58
-	1	"19850397"	EPC;	2003/06/17 19:27
-	6	"2212679"	DERWENT	
-			EPC;	2003/06/26 12:47
-			DERWENT	
-	19	"3824441"	USPAT	2003/06/26 12:48
-	9	"5430597"	USPAT	2003/07/01 10:42
-	1	"5374792".PN.	USPAT	2003/06/26 13:05
-	1	"5430597".PN.	USPAT	2003/06/26 13:05
-	1	"5484904".PN.	USPAT	2003/06/26 13:05
-	1	"6317530".PN.	USPAT	2003/06/26 13:05
-	1	"6373007".PN.	USPAT	2003/06/26 13:06
-	1	"6317530".PN.	USPAT	2003/06/26 13:06
-	502	361/93.1	USPAT	2003/06/26 13:10
-	312	361/93.9	USPAT	2003/06/26 13:10
-	317	361/99	USPAT	2003/06/26 13:10
-	380	200/181	USPAT	2003/06/26 13:10
-	178	200/10	USPAT	2003/06/26 13:11
-	240	200/270	USPAT	2003/06/26 13:11
-	1455	200/275	USPAT	2003/06/26 13:11
-	151	218/2	USPAT	2003/06/26 13:11
-	146	218/7	USPAT	2003/06/26 13:11
-	150	218/30	USPAT	2003/06/26 13:11
-	96	218/10	USPAT	2003/06/26 13:11
-	182	218/48	USPAT	2003/06/26 13:12
-	235	218/146	USPAT	2003/06/26 13:12
-	2088	307/112	USPAT	2003/06/26 13:12